

# Derivatives from coal pyrolysis — Coal tar based oils: Coal tar fuel — Specifications and test methods

The European Standard EN 14156:2003 has the status of a  
British Standard

ICS 75.160.20





# National foreword

This British Standard is the official English language version of EN 14156:2003.

The UK participation in its preparation was entrusted to Technical Committee CII/56, Derivatives from coal pyrolysis, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

## Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the BSI Electronic Catalogue or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

## Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 7 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

## Amendments issued since publication

Amd. No.	Date	Comments

This British Standard, was published under the authority of the Standards Policy and Strategy Committee on 22 October 2003

© BSI 22 October 2003

ISBN 0 580 42786 2

ICS 75.160.20

English version

## Derivatives from coal pyrolysis - Coal tar based oils: Coal tar fuel - Specifications and test methods

Produits dérivés de la pyrolyse de charbon - Produits à  
base de goudron de charbon : Combustibles -  
Spécifications et méthodes d'essai

Derivate der Kohlenpyrolyse - Heizöl aus Steinkohlenteeröl  
- Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 16 May 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

---

Contents

	Page
Foreword.....	3
1 Scope .....	4
2 Normative references .....	4
3 Terms and definitions.....	5
4 Sampling.....	5
5 Specifications and test methods.....	5
Annex A (normative) Determination of the liquidity.....	6
Bibliography .....	7

## Foreword

This document (EN 14156:2003) has been prepared by Technical Committee CEN /TC 317, "Derivatives from coal pyrolysis", the secretariat of which is held by IBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2004, and conflicting national standards shall be withdrawn at the latest by January 2004.

Annex A is normative.

This document includes a Bibliography.

No existing European Standard is superseded. The standard is based on DIN 51603-2 and DIN 51603-4.

**WARNING —The use of this European Standard may involve hazardous materials, operations and equipment. This standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.**

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

## 1 Scope

This European Standard gives the specifications of and the test methods for liquid fuels derived from coal tar. The specifications also apply to shale oil, aromatic mineral oils, and lignite tar.

Preheating of liquid fuel oils according to this standard can be necessary for transport, storage, and combustion.

The mixing with fuel oils from other raw materials should be avoided.

This standard does not cover marine fuel applications.

## 2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 1014-1, Wood preservatives - Creosote and creosoted timber - Methods of sampling and analysis – Part 1 : Procedure for sampling creosote.

EN 12303:2000, Coal tar based oils - Terminology.

prEN 13991, Derivatives from coal pyrolysis – Coal tar based oils: creosotes – Specifications and test methods.

EN 24260, Petroleum products and hydrocarbons - Determination of sulfur content - Wickbold combustion method) (ISO 4260:1987).

EN ISO 2719, Determination of flash point - Pensky-Martens closed cup method (ISO 2719:2002).

EN ISO 3675, Crude petroleum and liquid petroleum products - Laboratory determination of density - Hydrometer method (ISO 3675:1998).

EN ISO 6245, Petroleum products - Determination of ash (ISO 6245:2001).

EN ISO 10370, Petroleum products - Determination of carbon residue - Micro method (ISO 10370:1993).

EN ISO 14596, Petroleum products - Determination of sulfur content - Wavelength-dispersive X-ray fluorescence spectrometry (ISO 14596:1998).

ISO 760, Determination of water - Karl Fischer method (General method).

ISO 3733, Petroleum products and bituminous materials - Determination of water - Distillation method.

DIN 51550, Viscometry - Determination of viscosity - General principles.

DIN 51900-1, Testing of solid and liquid fuels - Determination of gross calorific value by the bomb calorimeter and calculation of net calorific value – Part 1 : Principles, apparatus, methods (Remark : Draft 06.1998 based on ISO 1928).

DIN 51900-2, Testing of solid and liquid fuels - Determination of the gross calorific value by the bomb calorimeter and calculation of net calorific value – Part 2 : Method using the isothermal water jacket calorimeter.

DIN 53018-1, Viscometry - Measurement of the dynamic viscosity of Newtonian fluids with Rotational Viscometers - Principles.

### 3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN 12303:2000 apply.

### 4 Sampling

Samples for the assessment of the requirements listed in Table 1 shall be taken in accordance with EN 1014-1.

### 5 Specifications and test methods

The following fuel grades have been defined. They mainly differ with regard to viscosity.

The properties depend on the origin of the raw materials and their processing technology.

The high viscous qualities fuel oil FD and fuel oil FE require heated storage and piping systems.

The fuel oils can also be used to replace coke as reducing agents in blast furnaces.

**Table 1 — Specifications and test methods for coal tar fuel oils**

Properties		Fuel Oil FA	Fuel Oil FB	Fuel Oil FC	Fuel Oil FD	Fuel Oil FE	Test Methods
Density 20° C	g/ml	≤ 1,1	≤ 1,1	≤ 1,1	≤ 1,2	≤ 1,2	EN ISO 3675
Flash point closed cup	° C	≥ 85	≥ 85	≥ 75	≥ 61	≥ 85	EN ISO 2719
Kinematic viscosity at 20 ° C	mm <sup>2</sup> /s	≤ 6	≤ 12	-	-	-	DIN 51550 and DIN 53018-1
at 50 ° C	mm <sup>2</sup> /s	-	-	≤ 40	-	-	
at 70 ° C	mm <sup>2</sup> /s	-	-	-	≤ 30	-	
at 75 ° C	mm <sup>2</sup> /s	-	-	≤ 12	-	-	
at 90 ° C	mm <sup>2</sup> /s	-	-	-	≤ 15	-	
at 100° C	mm <sup>2</sup> /s	-	-	-	-	≤ 75	
Carbon yield	(m/m) %	≤ 0,5	≤ 1,0	≤ 16	≤ 16	≤ 25	EN ISO 10370
Sulfur	(m/m) %	≤ 0,2	≤ 0,8	≤ 0,5	≤ 1,0	≤ 0,9	EN 24260 <sup>a</sup>
Water content	(m/m) %	≤ 0,3	≤ 0,3	≤ 0,3	≤ 3,0	≤ 0,5	ISO 760 <sup>b</sup>
Calorific value	MJ/kg	≥ 38,7	≥ 37,8	≥ 38,5	≥ 35,0	≥ 35,0	DIN 51900-1 <sup>c</sup> and DIN 51900-2
Ash	(m/m) %	≤ 0,01	≤ 0,01	≤ 0,02	≤ 0,05	≤ 0,90	EN ISO 6245
Liquidity	° C	3	0	-	-	-	annex A (normative)
(sediment test)	h	24	24	-	-	-	
Crystallization temperature	° C	-	-	≤ 15	≤ 15	≤ 60	prEN 13991

<sup>a</sup> EN ISO 14596 is a suitable alternative.

<sup>b</sup> ISO 3733 is a suitable alternative. For the determination of very low water levels in fuel oils, a 2 ml receiver in conjunction with a 1000 ml flask and 500 g of sample shall be used.

<sup>c</sup> DIN 51900-1 is comparable to ISO 1928 and covers solid and liquid fuels whereas ISO 1928 is restricted to solid fuels.

## **Annex A** (normative)

### **Determination of the liquidity<sup>1)</sup>**

To test the liquidity, (100 ± 2) ml of fuel oil, while stirring, is heated until all crystalline deposits have disappeared.

Following, the oil is cooled to the required temperature (accuracy ± 1 ° C) and kept for the required time (see Table 1).

The oil is sucked through a paper filter<sup>2)</sup> .

No visible crystalline deposits may remain on the filter surface.

---

1) This test is derived from DIN 51603–2:1992 ; Sub-clause 4.1 “Detection of sediments on a paper filter”.

2) Characteristics of the paper filter: diameter: 90 mm; average pore diameter : 10 µm to 15 µm.

## Bibliography

- [1] ISO 1928, Solid mineral fuels – Determination of gross calorific value by the bomb calorimetric method, and calculation of net calorific value.
- [2] DIN 51603-2, Types L,T and M - Requirements, testing.
- [3] DIN 51603-4, Liquid fuels - Fuel oil - Part 4 : Fuel oils ZT, C and R;requirements, testing.

## BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

### Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

### Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001. Email: [orders@bsi-global.com](mailto:orders@bsi-global.com). Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

### Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: [info@bsi-global.com](mailto:info@bsi-global.com).

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001. Email: [membership@bsi-global.com](mailto:membership@bsi-global.com).

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

### Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager. Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553. Email: [copyright@bsi-global.com](mailto:copyright@bsi-global.com).